

Server-Side Web Development

JSP

Lecture #4 2007

- 1 Web Servers
 - Request Processing
- 2 JavaServer Pages (JSP)
 - Static HTML
 - Directives
 - Scripting Elements
 - Actions
 - Comments
 - Tag Libraries
 - Implicit Objects
- 3 Apache

Web Servers

- Serves resources via HTTP
- Can be anything that serves data via HTTP
- Usually a dedicated machine running web server software
- Can contain modules that processes requests

Request Processing

- 1 A Connection is established
- 2 A HTTP request is received
- 3 The (logical) path in the request is translated
- 4 The requested resource is identified (via the path)
- 5 A server module handling that resource is invoked
- 6 The module processes the request and generates a reply
- 7 A mime-type is provided and a HTTP response is created
- 8 The HTTP response is sent (possibly in increments)

JSP Processing

- 1 A JSP page is requested
- 2 Server checks if a Java Servlet for the page exists
- 3 If no Servlet is found (or newer JSP is detected), the JSP is translated to Java (a Servlet class is created)
- 4 The Java Servlet is compiled
- 5 The Java Servlet is invoked and processes the request

JavaServer Pages (JSP)

Today

Web Servers

Request
Processing

JavaServer
Pages (JSP)

Static HTML

Directives

Scripting
Elements

Actions

Comments

Tag Libraries

Implicit Objects

Apache

Next Time

- HTML with extra XML-tags
- (Scripted server-side) Java for the web
- A way to provide dynamic content in web pages
- XML-tags act as front-ends for Java classes
- May include other pages dynamically
- JSPs are compiled into Java Servlets
- JSP code is never visible to clients
- Generates response (HTML) dynamically
- Model-View-Controller pattern recommended

JSP Syntax

JSP may contain

- Static HTML
- Directives
- Scripting Elements
- Actions
- Comments
- Tag Libraries
- Implicit Objects

JSP Script Tags

- Directives

`<%@ ... %>`

- Declarations

`<%! ... %>`

- Scriptlets

`<% ... %>`

- Expressions

`<%= ... %>`

- Comments

`<%-- ... --%>`

Static HTML

- All HTML is treated by JSP as static text
- HTML may be mixed with JSP in any way
- All non-JSP tags are treated as HTML

Directives

```
<%@ ... %>
```

Types of JSP directives

- Page
- Include
- Tag Libraries (aka Custom Tags)

Page Directives

```
<%@ page attribute="..." %>
```

- Instructs the JSP engine how to process the JSP
- Attributes determine directive content

Page Directive Attributes

Today

Web Servers

Request
Processing

JavaServer
Pages (JSP)

Static HTML

Directives

Scripting
Elements

Actions

Comments

Tag Libraries

Implicit Objects

Apache

Next Time

- language - selects scripting language (Java)
- extends - base class for generated Servlet
- **import** - Java class / package import
- **session** - enable session tracking (default: true)
- buffer - set output buffer size
- autoFlush - enable auto flushing of output buffer
- isThreadSafe - thread safe marker
- info - page information (author, version, copyright etc)
- **errorPage** - set default error page
- **isErrorPage** - enable exception tracking on page
- **contentType** - set response mime type

Include Directive

```
<%@ include file="page.jsp" %>
```

- Includes another page at translation time
- Included page becomes part of Servlet
- Generates error if page not found

Tag Libraries

```
<%@ taglib uri="taglib.tld" prefix="prefix" %>
```

- Loads a tag library
- Tags are usable via the specified tag prefix
- The JSP version of language extension

Directive Examples

```
<%@ page import="examples.*, examples.tags.*" %>
```

```
<%@ taglib uri="/WEB-INF/examples-taglib.tld"  
        prefix="examples" %>
```

```
<%@ include file="/includes/head.jsp" %>
```

...

```
<examples:ValidateParameters  
        parameters="name,age"/>
```

...

```
<%@ include file="/includes/foot.jsp" %>
```

Scripting Elements

- Declarations

`<%! ... %>`

- Scriptlets

`<% ... %>`

- Expressions

`<%= ... %>`

Declarations

- Content placed in Servlet body (members)
- Used to declare members and methods
- Does not produce HTML output
- Declared content is later used by Scriptlets or expressions
- Lines must be terminated with a semicolon

Declaration examples

Today

Web Servers

Request
Processing

JavaServer
Pages (JSP)

Static HTML

Directives

**Scripting
Elements**

Actions

Comments

Tag Libraries

Implicit Objects

Apache

Next Time

```
<%!  
    public int getSum (int x, int y)  
    {  
        return x + y;  
    }  
%>
```

```
<jsp:declaration>  
    public int getSum (int x, int y)  
    {  
        return x + y;  
    }  
</jsp:declaration>
```

Scriptlets

- Content placed in Servlet `_jspService()` method (local variables and in-line code)
- Used to embed Java code directly in the page
- May produce HTML output (via `out.println()`)
- Lines must be terminated with a semicolon

Scriptlet examples

```
<%  
    int x = 1;  
    int y = 2;  
    int sum = x + y;  
%>
```

```
<jsp:scriptlet>  
    int x = 1;  
    int y = 2;  
    int sum = x + y;  
</jsp:scriptlet>
```

Expressions

- Content output directly to HTML
- Used as an alias for `out.println()`
- Code must evaluate to an expression
- Lines must **not** be terminated with a semicolon

Expression examples

```
1 + 2 = <%= 1 + 2 %>
```

```
1 + 2 =
```

```
<jsp:expression>
```

```
1 + 2
```

```
</jsp:expression>
```

Actions

- **include** - include another page
- **forward** - forward request to another resource
- **param** - specify parameters when calling or forwarding

- **plug-in** - generates browser-specific code for applets
- **fallback** - content if browser does not support applets

- **getProperty** - get a property from a JavaBean
- **setProperty** - set a property on a JavaBean
- **useBean** - use a JavaBean

Include Action

```
<jsp:include page="page.jsp"/>
```

- Includes another page at request time
- Generates a request to included page Servlet
- Ignored if page not found
- Usually used to call declared methods
- Control is returned

Forward Action

```
<jsp:forward page="page.jsp"/>
```

- Forwards request to another resource
- Control is not returned

Param Action

```
<jsp:forward page="page.jsp">  
  <jsp:param name="name" value="value"/>  
</jsp:forward>
```

- Used to specify parameters when including / forwarding

HTML Comments

```
<!-- HTML comment -->
```

- Evaluated by server (as HTML)
- Part of the server response / web page
- Visible in page source from web browser

JSP Comments

```
<%-- JSP comment --%>
```

- Not evaluated by server
- Not part of the server response / web page
- Not visible in page source from web browser

Tag Libraries

- Java classes
- Implements the JSP Tag Extension API interfaces
- Usable as JSP tags in JSPs
- Java class coupled to a tag using a XML-descriptor
- Tags can control JSP processing

Implicit Objects

- **request** - HTTP request
- **response** - HTTP response
- **out** - response stream
- **session** - web application session
- `pageContext` - page context data
- `application` - Servlet context data
- `config` - Servlet configuration data
- `page` - Servlet object
- `exception` - exception data

Apache

- Apache Software Foundation
- Non-profit organization developing open-source software
- <http://www.apache.org/>

Apache HTTP Server

- A (patchy) web server
- Arrived early and helped shape the web
- Runs 58% of the worlds web sites (March 2007)
- Serves HTTP and HTTPS requests
- Runs CGI-scripts for dynamic content
- Can host modules for PHP, JSP, ASP etc

Apache Tomcat

- Servlet & JSP container with built-in web server
- Can run standalone or as a module in Apache
- Serves HTTP and HTTPS requests
- Requests may have been forwarded from HTTPD Server
- Contains configuration and management tools

Apache Axis2

- Web Service framework
- Refactorization of Axis
- Contains tools for generating language bindings and interfaces
- Includes a Web Service hosting environment
- Can run as a module / web application in Tomcat

Apache Ant

- A build tool for software development
- "Make for Java"
- Used to automate build, deployment and clean-up

Apache Derby

- A Pure-Java relational database management system
- Can be embedded into Java programs
- No configuration required
- No management clients provided
- Databases accessible through JDBC

Other Related Apache Project

Today

Web Servers

Request
Processing

JavaServer
Pages (JSP)

Static HTML

Directives

Scripting
Elements

Actions

Comments

Tag Libraries

Implicit Objects

Apache

Next Time

- Struts - web application framework
- Jakarta - server-side Java projects
- Xalan - XSLT processor
- Xerces - A validating XML parser
- ...

Next Time

- Using JSP/Servlets
- Data storage, validation & access